



AUCTION

2 DAYS • 1 LOCATION • EULESS, TEXAS

At the Premises of
H.M. DUNN COMPANY
3301 HOUSE ANDERSON RD.
EULESS, TEXAS 76040
Wearing Masks & Social Distancing Are Required

OUTSTANDING OFFERING OF EXCELLENTLY MAINTAINED CNC MACHINE TOOLS FROM TIER 1 AEROSPACE SUPPLIER, FEATURING: Vertical & Horizontal 5-Axis Profilers; 6" CNC HBM, Horiz. & Vert. Machining Centers, CNC Lathes, Thousands of High Quality Toolholders, Huge Assortment of Cutting Tools & Accessories, Shop Support Equip., Cranes & Forklifts, & Much, Much More!

DAY ONE

WEDNESDAY, JUNE 10 LIVE ON-SITE THEATRE STYLE & WEBCAST • 10:00 A.M.

INSPECTION:
Monday & Tuesday June 8 & 9,
9:00 A.M. to 4:00 P.M.



2006

SNK MDL. RB-200F 5-AXIS DOUBLE COLUMN VERT. PROFILER



2006

GIDDING & LEWIS MDL. RT1250 6-AXIS CNC HORIZ. BORING MILL



2006

HYUNDAI-KIA MDL. VX750MH
CNC VERT. MACHINING CENTER



2003

SNK MDL. HPS4B 5-AXIS HIGH-SPEED
HORIZ. PROFILER



4 AVAILABLE

SNK MDL. FSP-120V 5-AXIS VERT. PROFILER

DAY TWO

THURSDAY, JUNE 11 TIMED ONLINE ONLY BIDS START CLOSING: 10:00 A.M.

**BUYER'S PREMIUM:
15% ON-SITE
18% WEBCAST**

On-Site Bidding in Euless, Texas or Bid Via Webcast at BidSpotter.com

Read Partial Terms & Conditions on
Back Page of Brochure

Sale Conducted By:

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE
1304 Langham Creek Drive, Suite 454, Houston, TX 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

EMAIL: pmi@pmi-auction.com WEBSITE: www.pmi-auction.com
Ron Moore, TX Lic. # 7314

HOUSTON DALLAS ST. LOUIS

In Conjunction With:



105 Revere Drive, Suite C, Northbrook, IL 60062

Phone: 224-927-5320 • Fax: 224-927-5311

Joel Bersh, TX Lic. #16980

www.pplauctions.com



MACHINERY NETWORK AUCTIONS

6-AXIS CNC HORIZONTAL BORING MILL

2006

GIDDINGS & LEWIS MDL. RT1250, new 2006, Fanuc Series 310i-Model A5 CNC control, 63" x 70.9" tbl., 33,100-lb. tbl. load cap., 360,000 deg. tbl. indexing, 141.7" X-axis travel, 98.4" Y-axis travel, 78.7" W-axis travel, 6.1" spdl., 49.2" Z-axis spdl. travel, 74 HP motor, spds.: 10–3,500 RPM in (4) ranges, 90-pos. ATC, 4.9" max. tool dia., 29.5" max. tool length, 110-lb. max. tool weight, Ruckle Mdl. PKT-5 49" dia. CNC vert. rotary tbl., S/N 4831, T-slotted platen, rear mtd., 42-pos. rack style tool changer, double outrigger saddle, full machine enclosure, Burener paper filter coolant system w/hi-pressure thru spdl. coolant, wireless probing, chip conveyor, S/N 480-0029.



2006

SNK MDL. RB-200F

DAY ONE

WED., JUNE 10 LIVE ON-SITE THEATRE STYLE & WEBCAST • 10:00 A.M.

5-AXIS DOUBLE COLUMN VERTICAL PROFILERS

SNK MDL. RB-200F, new 2006, Fanuc Series 30i-Model A CNC control, 78" x 158" tbl., 33,000 tbl. load, 112.2" dist. btwn. columns, 167.3" X-axis travel, 114.17" Y-axis travel, 23.6" Z-axis (Ram), 33.46" W-axis (cross rail) travels, ± 50 deg. B-axis spdl. tilt, ± 360 deg. C-axis spdl. head rotation, 17.7" x 17.7" cross section of ram, 0–57.08" dist. from tabletop to spdl. end, CAT-50 spdl. taper, spdl. spds.: 40–10,000 RPM, 25 HP spdl. drive motor, 30-pos. ATC, dual chip conveyors, full tbl. enclosure, drilled and tapped aluminum sub-plate, S/N 452755.

CINCINNATI MILACRON MDL. 30V, Siemens Acramatic 2100 CNC control, 60"W. x 130"L. tbl., 120" X, 60" Y, 29" Z-axis travels, ± 25 deg. A and B-axis, CAT-50, 5,000 RPM, 30 HP, multi-function remote pendant.



CLOSE UP VIEW OF SNK RB-200F



CINCINNATI MILACRON MDL. 30V

2003



5-AXIS HIGH-SPEED HORIZONTAL PROFILER

SNK MDL. HPS4B, new 2003, Fanuc Series 15i-MB CNC control, twin tilting pallets, 80" x 157" pallet size, 11,000-lb. pallet load, 408" X, 90" Y, 30" Z-axis travels, -90 to +50 deg. spdl. head tilt, ±270 deg. spdl. head rotation, CAT-50, spdl. 150–15,000, 35/30 kW, 40-pos. ATC, S/N 451942.



4 AVAILABLE

PARTIAL VIEW OF (4) SNK MDL. FSP-120V

5-AXIS VERTICAL PROFILERS

(4) **SNK MDL. FSP-120V**, Fanuc Series 16M CNC control, 48" x 124" tbl., 22,000-lb. tbl. load, 120" X, 50" Y, 24" Z-axis travels, ±25 deg. spdl. swivel A and B-axis, 5"–29" dist. tbl. to spdl. end, CAT-50, spds.: 20–4,000 RPM, 30 HP spdl. drive motor, S/N 451877, S/N 451880, S/N 451881, S/N 451885.

SNK MDL. FSP80V, new 2009, Fanuc 31i-A5 CNC control, 31.5" x 78.7" tbl., 8,800-lb. tbl. load., 90.55" X, 49.21" Y, 27.55" Z-axis travels, ±30 deg. A and B-axis, CAT-50, spdl. spds.: 20–4,000 RPM, 22 kW spdl. motor S/N 453229.



2009

SNK MDL. FSP80V

5-AXIS TRAVELING GANTRY PROFILERS

CINCINNATI 6-SPINDLE TWIN GANTRY, Siemens Acramatic 2100 CNC control, 160"W. x 1,116"L. tbl., 780" X, 84" Y, 24" Z-axis travels, ±20 deg. A and B-axis, (3) spindles per gantry, CAT-50, 3,600 RPM, 50 HP, 160" x 428" drilled and tapped sub-plate, remote operator's pendant, S/N 4305-76-0014-RL99 (retrofitted in 1999), S/N 4305-76-0013-RL00 (retrofitted in 2000).

CINCINNATI MILACRON MDL. 30V RAIL, Siemens Acramatic 950 CNC control, 70"W. x 624"L. tbl., 624" X, 79" Y, 29" Z-axis travels, ±25 deg. A and B-axis, CAT-50, 5,000 RPM, 50 HP, 70"W. x 185"L. drilled and tapped aluminum sub-plate, S/N 3239E0194-0003.



2 GANTRIES

CINCINNATI 6-SPINDLE TWIN GANTRY



CINCINNATI MILACRON MDL. 30V RAIL

**DAY
ONE**

**WEDNESDAY, JUNE 10 LIVE ON-SITE
THEATRE STYLE & WEBCAST • 10:00 A.M.**

INSPECTION:

Monday & Tuesday June 8 & 9,
9:00 A.M. to 4:00 P.M.

**See Pages 10 & 11 for
Online Timed Auction Details
to be held on June 11**

At the Premises of

H.M. DUNN COMPANY
3301 HOUSE ANDERSON RD., EULESS, TEXAS 76040
Wearing Masks & Social Distancing Are Required

2006



HYUNDAI-KIA MDL. VX750MH CNC VERT. MACHINING CENTER

2006



HYUNDAI-KIA MDL. VX750M CNC VERT. MACHINING CENTER

2008



HYUNDAI-KIA MDL. VX650/50 CNC VERT. MACHINING CENTER

CNC VERTICAL MACHINING CENTERS

HYUNDAI-KIA MDL. VX750MH, new 2006, Fanuc Series 18i-MB CNC control, 70.9" x 27.6" tbl., 4,409-lb. tbl. load, 61" X, 29.5" Y, 28.3" Z-axis travels, CAT-50, 12,000 RPM, 25 HP spindle drive motor, Mdl. PF30-20SF hi-pressure thru spindle coolant system, 30-pos. ATC, drilled and tapped aluminum sub-plate, S/N VX750MH0005.

HYUNDAI-KIA MDL. VX750M, new 2006, Fanuc Series 18i-MB CNC control, 70.9" x 27.6" tbl., 4,409-lb. tbl. load, 61" X, 29.5" Y, 28.3" Z-axis travels, CAT-50, 8,000 RPM, 25 HP spindle drive motor, CoolJet Mdl. PF30-20SF hi-pressure thru spindle coolant system, 30-pos. ATC, chip conveyor, S/N VX750M0162.

HYUNDAI-KIA MDL. VX650/50, new 2008, Fanuc Oi-MC CNC control, 25.6" x 63" tbl., 55.1" X-axis travel, 26" Y-axis travel, 25" Z-axis travel, 2,866-lb. tbl. load cap., spindle speeds.: 60–6,000 RPM, 15 HP spindle drive motor, hi-pressure thru spindle coolant system, CAT-50 spindle taper, 24-pos. ATC, S/N G3692-0180.

CINCINNATI MILACRON MDL. ARROW 2000, Siemens Acramatic 2100 CNC control retrofit, 30" x 90" tbl., 6,615-lb. tbl. load, 80" X, 30" Y, 30" Z-axis travels, CAT-40, 8,000 RPM, 15 HP, 20 ATC, S/N 7057-A00-97-0001.

CINCINNATI MILACRON MDL. SABER 2000 4-AXIS, Siemens Acramatic 2100 CNC control retrofit, 30" x 90" tbl., 6,615-lb. tbl. load, 80" X, 30" Y, 30" Z-axis travels, CAT-40, 8,000 RPM, 15 HP, 20 ATC, drilled and tapped sub-plate, S/N 7044A0B970082.



CINCINNATI MILACRON MDL. ARROW 2000 CNC VERT. MACHINING CENTER

4-AXIS



**CINCINNATI MILACRON MDL. SABER 2000 4-AXIS
CNC VERT. MACHINING CENTER**

2 DAYS • 1 LOCATION • EULESS, TEXAS

2
AVAILABLE



5-AXIS HORIZONTAL MACHINING CENTERS

(2) CINCINNATI MILACRON MAGNUM MDL. 800HV, Siemens Acramatic 950 CNC control, 31.5" sq. pallet size, 4,847-lb. pallet load, 61" X, 49.2" Y, 44.3" Z-axis travels, 4" to 53.1" top of pallet to spdl. in horiz. position, -6.1"–43.2" top of pallet to spdl. gauge line in vert. position, 360,000 deg. A-axis, 165,000 deg. B-axis, cap., spdl. spds.: 25–6,000 RPM, 40 HP spdl. drive motor, 2-station pallet changer, Consep 2000 Mafran chip conveyor, Koolant Coolers refrigerated coolant system, Chipblaster hi-pressure coolant unit, S/N 3147A0196-0002 w/96-pos. ATC, S/N 3147A0197-0002, w/120-pos. ATC.



CELL #1

CNC HORIZONTAL MACHINING CENTER CELLS

CELL #1: CONSISTING OF (2) MAKINO MDL. A88 4-AXIS W/ 18-PALLET LINEAR TRANSPORT, Makino Pro3 CNC control, 24.6" pallets, 2,645-lb. load, 35.43" X, 31.5" Y, 38.1" Z-axis travels, 39.37" x 51.1" max. workpiece size, HSK-A100 spindle taper, 12,000 RPM, 30 kW, hi-pressure thru spdl. coolant system, chip conveyors, Windows based control cell server, S/N 462 w/132-pos. ATC, S/N 123 w/90-pos. ATC.

CELL #2: CONSISTING OF (2) MAKINO MDL. A55E 4-AXIS W/12-PALLET LINEAR TRANSPORT, Makino Pro3 CNC control, 16" pallets, 1,100-lb. load, 22" X, 22" Y, 23.6" Z-axis travels, 24.8" dia. x 39.37"H. workpiece size, CAT-40, spds.: 50–14,000 RPM, 18.5/22 kW, hi-pressure thru spdl. coolant system, chip conveyor, Windows based control cell server, S/N 596 w/137-pos. ATC, S/N 137 w/90-pos. ATC.

4-AXIS



CINCINNATI MAGNUM MDL. 100 4- AXIS

CNC HORIZONTAL MACHINING CENTERS

CINCINNATI MAGNUM MDL. 1000 4-AXIS, Siemens Acramatic 950 CNC control, 39" pallets, 61" X, 51.2" Y, 47.2" Z-axis travels, CAT-50, 25–6,000 RPM, 50 HP, 6-pallet pool, 96 ATC, hi-pressure thru spdl. coolant system, chip conveyor, S/N KD00A01980006.

HYUNDAI-KIA MDL. KH63G, new 2006, Fanuc Series 18i-MB CNC control, 25" x 25" pallet size, 360 deg. tbl. indexing, 2,200-lb. tbl. load, 37.4" X-axis travel, 32.5" Y-axis travel, 30" Z-axis travel, CAT-50 spdl. taper, spds.: 20–4,500 RPM, 30 HP spdl. drive motor, 60-pos. ATC, CoolJet hi-pressure thru spdl. coolant system, S/N KH630416.



HYUNDAI-KIA MDL. KH63G

2006



CELL #2



MILLTRONICS MDL. RH30

2006



MILLTRONICS MDL. MB20

2006

CNC BED TYPE VERTICAL MILLING MACHINES

MILLTRONICS MDL. RH30, new 2006, Centurion 7 CNC control, 24" x 73" tbl., 3,000-lb. tbl. load, 60" X, 30" Y, 28" Z-axis travels, CAT-40, 8,000 RPM, 24/15 HP, S/N 9219.

MILLTRONICS MDL. MB20, new 2006, Centurion 7 CNC control, 16" x 54" tbl., 2,500-lb. tbl. load, 40" X, 20" Y, 24" Z-axis travels, 6" manual quill, CAT-40, 60–4,000 RPM, 10 HP, S/N 9218.



OKUMA CROWN MDL. L1420 CNC LATHE



MAZAK MDL. QUICK TURN NEXUS 250 CNC LATHE

2005

CNC LATHES

OKUMA CROWN MDL. L1420, new 2000, Type 769S, OSP-U10L CNC control, 14.17" turn dia., 24.41" swing, 3.54" spdl. bore, 65-3,500 RPM, 30 HP, 12" thru hole hyd. chuck, hyd. tailstock, 12-pos. turret, chip conveyor, S/N 0120000234.

MAZAK MDL. QUICK TURN NEXUS 250, new 8/2005, Mazatrol 640T Nexus CNC control, 10.86" max. turn dia., 13.77" max. swing, 18.5" turn length, 2.44" spdl. bore, 4,000 RPM, 10" thru hole hyd. chuck, 12-pos. vert. turret, hyd. tailstock, tool presetter, chip conveyor, S/N 178444.

MORI SEIKI MDL. TL5, Fanuc 6T CNC, 10-pos. turret, tailstock, S/N 1072.

CNC ACCESSORIES

APPLIED RECOVERY SYSTEMS ALUMINUM PUCKMASTER, 30 HP unitized hyd. system, inclined belt conveyor feed unit, clefted belt exit conveyor.

SPERONI MDL. STP34 TOOL PRESETTER, new 2006, Label Writer printer and computer system, S/N 0005323.

ISCAR MDL. VB1.01.13US HEAT SHRINK TOOL SYSTEM, 3-pos., cooler unit, S/N 9926828784.

ETM MDL. EL20 EZ-LOCK TOOLHOLDER CLAMPING SYSTEM, for collet style toolholders.

VERTICAL TURRET MILLING MACHINES

SHARP, 9" x 42" tbl., variable spd. head to 4,500 RPM, 2-axis D.R.O., Servo long. pwr. feed, S/N 41021603.

PROMAX, 9" x 48" tbl., variable spd. head, spds.: 60-4,200 RPM, long. and cross pwr. feeds.

SAWS

HEM MDL. V140HM-60 TILT FRAME VERTICAL BANDSAW, new 2013, 24"W. x 31"H. cap., 1-1/2" blade, 10 HP, pwr. tile w/DRO, laser gauge, cut watcher, output tbl., hyd. vise, S/N 1157613.

CUSTOM ALUMINUM VERTICAL PLATE SAW, 72" throat depth, 6-1/2" blade, hyd. clamping mechanism, approx. 20 HP blade drive motor, 168" max. clamping area, moving saw frame style.

MARVEL SPARTAN MDL. S36V VERTICAL BANDSAW, blade welder and grinder, 36" throat depth, variable blade spds., S/N S36V-159.

PEERLESS MDL. VB181 TILT FRAME VERTICAL BANDSAW, new 2004, 1-1/4" blade, S/N N.A.

GROB MDL. NS18 VERTICAL BANDSAW, 24" tilting tbl. and assorted blades, S/N 9901.

(2) ROLL-IN 10" VERTICAL BANDSAWS, 1" blade.

COSEN AUTOMATIC HORIZONTAL BANDSAW, 12" dia. cap., auto. feed.



MARVEL SPARTAN MDL. S36V VERT. BANDSAW



SHARP VERT. TURRET MILLING MACHINE



APPLIED RECOVERY SYSTEMS ALUMINUM PUCKMASTER



ISCAR HEAT SHRINK TOOL SYSTEM AND ETM EZ-LOCK TOOLHOLDER CLAMPING SYSTEM



SPERONI MDL. STP34 TOOL PRESETTER

2006

2013



HEM MDL. V140HM-60 TILT FRAME VERT. BANDSAW



KENT 12" X 24" MDL. KGS-306AHD SURFACE GRINDER



K.O. LEE MDL. B8900 TOOL CUTTER AND GRINDER

LARGE CAPACITY



CUSTOM ALUMINUM VERT. PLATE SAW



PARTIAL VIEW OF TOOL CUTTER AND GRINDER

HORIZONTAL HONES

SUNNEN MDL. MBB1660, 1/2 HP motor, assorted checking tools, S/N 2M1-97359.

SUNNEN MDL. MBB1650, Mahr Federal air gauge, assorted accessories S/N 53635.

HYDRAULIC SURFACE GRINDER

KENT 12" X 24" MDL. KGS-306AHD, new 12/1988, incremental downfeed, 12" x 2" max. wheel size, over-the-wheel dresser, vacuum coolant system, S/N 881154-4.

TOOL & CUTTER GRINDERS

K.O. LEE MDL. B8900, air bearing endmill fixture, assorted accessories, S/N 24836UL.

(2) DOALL MDL. 10, universal motorized head, S/N 3024, S/N 3021.

CUTTERMMASTER, air bearing fixture.

K.O. LEE MDL. B923G CARBIDE GRINDER.

(2) PRATT & WHITNEY MDL. R8 RADIUS AND TANGENT GRINDERS, universal workhead, assorted accessories.

(2) BLACK DIAMOND DRILL GRINDERS.

INSPECTION: Monday & Tuesday
June 8 & 9, 9:00 A.M. to 4:00 P.M.

CABINET OVENS

DESPATCH MDL. PWC2-91-1E, 500 deg. F. max. temp, 34 kW, electric fired, double door, Honeywell chart recorder, interior dims: 48"W. x 48"H. x 48"D., S/N 143442.

BLUE M MDL. MP-966SRIG-1X305, 600 deg. F. max. temp., 480 v., interior dims: 47"W. x 60"H. x 48"D., stainless steel interior, double door, roll-out rack system, Honeywell chart recorder, Honeywell digital temp. controls w/thermocouples, S/N MP-400.

BLUE M MDL. POM-106E, 600 deg. F. max. temp, interior dims: 18"W. x 18"D. x 36"H., 280 v., electric fired, stainless steel lined, multiple shelves, Honeywell digital controls, Honeywell chart recorder, S/N P6-129.

BLUE M MDL. MP-966SRIG-1X305

DESPATCH MDL. PWC2-91-1E




DAY ONE

LIVE ON-SITE THEATRE STYLE & WEBCAST

DAY TWO

ONLINE TIMED AUCTION – SEE PAGES 10 & 11



BROWN & SHARPE XCEL COORDINATE MEASURING MACHINE

COORDINATE MEASURING MACHINE

BROWN & SHARPE XCEL, 63" X-axis travel, 118" Y-axis travel, 39" Z-axis travel, Renishaw Mdl. PH10MQ motorized probe holder, PC-DMIS software, Dell computer tower, dual screens, Renishaw Mdl. PI200 probe interface, Mdl. PHC10-2 probe head controller, Hexagon Mdl. H007422/A wireless control, S/N 12299-2537.

COORDINATE MEASURING MACHINE ENCLOSURE

17'-7"W. X 25'-6"L., fluorescent lighting, unitized panel construction, 10'W. x 12' ht. roll-up door, 12' ceiling ht.

GRANITE SURFACE PLATES

RAHN 60" X 144" X 13" THK., last calibration 1/24/2019, Grade B, on fabricated steel stand.

60" X 120" X 20" THK., Grade A, last calibration 1/24/2019, on fabricated steel stand.

48" X 96" X 12" THK., 4-ledge, black granite, on fabricated steel stand.

48" X 60" X 8" THK., calibrated in 2019, Grade B.

36" X 48" X 6" THK., Grade A, on fabricated steel stand.

AIR SYSTEMS

ATLAS COPCO MDL. GA75FF ROTARY SCREW AIR COMPRESSOR, new 2017, 128 PSI, 428.4 CFM, 100 HP drive motor, 15,554 running hours, 7,755 loaded hours, S/N AP1626385.

ATLAS COPCO MDL. GA37 ROTARY SCREW AIR COMPRESSOR, new 2013, 132 PSI, 226.9 CFM output, 50 HP motor, S/N AP1538777.

ATLAS COPCO MDL. FD220 REFRIGERATED AIR DRYER, new 2012, S/N CAQ539382.

ASSORTED VERTICAL AIR RECEIVERS.

FINISHING EQUIPMENT

FILTER 1 WALTRON FILTER WALL 72"W. MDL. WTD6-3-5R DOWNDRAFT TBL., front and rear collector area, central filter unit, 5 HP motor, 7,500 CFM, S/N 07-47-05.

DIVERSITECH 48" X 96" DOWNDRAFT TBL.

REAR DRAFT SANDING BOOTH w/Airflow Systems dust collector.

SELF-PROPELLED SCISSOR LIFTS

JLG MDL. 2646E2, 500-lb. platform cap., battery pwr., S/N 0200053622.

GENIE MDL. GS-1930, 500-lb. platform cap., extendable pulpit, (4) controls, 291 H.O.M., S/N N.A.



ATLAS COPCO 100 HP ROTARY SCREW AIR COMPRESSOR



DIVERSITECH DOWNDRAFT TABLE AND FILTER 1 WALTRON FILTER WALL



SAMPLE VIEW OF GRANITE SURFACE PLATES



JLG MDL. 2646E2 SCISSOR LIFT



GENIE MDL. GS-1930 SCISSOR LIFT

DAY ONE

**WEDNESDAY, JUNE 10 LIVE ON-SITE
THEATRE STYLE & WEBCAST • 10:00 A.M.**

At the Premises of

H.M. DUNN COMPANY

3301 HOUSE ANDERSON RD., EULESS, TX 76040

Wearing Masks & Social Distancing Are Required

2014

**2
AVAILABLE**



TOYOTA 7,000-LB. CAP. LPG FORKLIFT

2015

**2
AVAILABLE**



TOYOTA 6,000-LB. CAP. LPG FORKLIFT

2013



**YALE
7,000-LB. CAP.
LPG FORKLIFT**



HYSTER 8,000-LB. CAP. LPG FORKLIFT



**RAYMOND MDL. EASI-4D-R45DT
ELECTRIC REACH TRUCK**

FORKLIFTS

KOMATSU 11,000-LB. BASE CAP. MDL. FG50A12-8, new 2006, 100" standard mast, 145" lift ht., LPG, pneu. style cushion tires, side shift, forks, S/N 135130A.

HYSTER 8,000-LB. BASE CAP. MDL. H80XM, new 2005., 89" triple-stage mast, 185" lift ht., diesel, pneu. style cushion tires, side shift, forks, S/N L005V06068C.

HYSTER 8,000-LB. BASE CAP. MDL. S80XL2-BCS, 7,150-lb. at 24" L.C., LPG pwr., "Box Car Special" w/short turning radius, 172" max. lift ht., 72" L. forks, automatic transmission w/Monotrol direction pedal, cushion tires, side shift, S/N D004D10269Y.

(2) TOYOTA 7,000-LB. BASE CAP. MDL. 8FGCU32, new 2014, 88" standard mast, 131" lift ht., cushion tires, LPG, Cascade mast w/quad forks and extendable width, S/N 64325 and 64321.

YALE 7,000-LB. BASE CAP. MDL. GLC070, new 2013. 105" triple-stage, mast, 225" lift ht., cushion tires, LPG, 48" forks, S/N A910V023390L.

(2) TOYOTA 6,000-LB. BASE CAP. MDL. 8FGCU30, new 2015, 83" triple-stage mast, 187" lift ht., cushion tires, side shift, forks, S/N 63274 and 63259.

CAT 5,000-LB. BASE CAP. MDL. 2C5000, new 2012, 83" triple-stage mast, 189" lift ht., LPG, cushion tires, side shift, forks, S/N AT9032488.

TOYOTA 5,000-LB. BASE CAP. MDL. 8FGCU25, new 2009, 83" triple-stage mast, 189" lift ht., LPG, cushion tires, side shift, forks, S/N 26733.

TOYOTA 4,000-LB. BASE CAP. MDL. 8FGU20, new 2015, 83" standard mast, 130" lift ht., pneu. style cushion tires, side shift, forks, S/N 65985.

ELECTRIC REACH TRUCK

RAYMOND MDL. EASI-4D-R45DT, 4,500-lb. at 210" max. lift, 3,500-lb. at 268" max. lift, 36 v., S/N EF-A-99-12813.

FREE STANDING BRIDGE CRANE SYSTEMS

PROSERV ANCHOR 5 T. X 39'-6" SPAN, 103' overall runway length, 18'-8" ht. under rail, approx. 17" ht. under hook, radio controlled, double end drive, Shawbox 5 T. unitized hoist and trolley, bolt construction.

PROSERV ANCHOR 3 T. X 29' SPAN, 18' ht. under rail, 46' runway dist., bolted column construction, radio controlled, double end drive, S/N A7759.

OMI CRANE SYSTEMS 3 T. X APPROX. 46' SPAN, approx. 33' runway travel, radio controlled, Shawbox Ultralift unitized hoist and trolley, S/N 13065.

FREE STANDING PEDESTAL JIB CRANE

1/2 T. X 16' REACH, approx. 10' ht. under rail, Dayton 1/2 T. electric chain hoist.

POWER & HAND TOOLS

PNEU. NAIL GUNS; BATTERY OPERATED DRILLS AND SAWS; RIGHT ANGLE GRINDERS; MILWAUKEE SAWZ-ALL; BOSCH HAMMER DRILL; MILWAUKEE MAGNETIC BASE DRILL; 1" DRIVE HEAVY DUTY SOCKET SET; TAP AND DIE SETS; RIDGID PIPE WRENCHES up to 36"; RIDGID PIPE THREADERS; HAND PIPE THREADERS up to 2"; RIDGID TRI-STAND; PRTO TORQUE WRENCH; HUSKY TORQUE WRENCHES; UTICA TORQUE WRENCH; MORE.



**PROSERV ANCHOR 5 T. X 39'-6" FREE STANDING
BRIDGE CRANE SYSTEM**

**DAY
TWO**

**ONLINE TIMED AUCTION • THURSDAY, JUNE 11
ONLINE BIDS START TO CLOSE AT 10:00 A.M.**



**LARGE
QUANTITY**


PARTIAL VIEW OF TAPER TOOLHOLDERS



SAMPLE VIEW OF RAW MATERIAL



SAMPLE VIEW OF CAT-50 RIGHT ANGLE HEADS



SAMPLE VIEW OF KURT MILLING VISES



JEWELL GROUP EXTENDED BORING TOOLS



SAMPLE VIEW OF ENDMILLS

At the Premises of
H.M. DUNN COMPANY
3301 HOUSE ANDERSON RD., EULESS, TEXAS 76040
Wearing Masks & Social Distancing Are Required

CAT-50 RIGHT ANGLE HEADS

BIG MDL. BCV50/AG90/AGH35-230 ANGLE HEAD; BIG MDL. BCV50/AG90/AGH35-230S ANGLE HEAD; KEY PRODUCTS SPECIAL GEARED HEAD ANGLE HEAD; BIG MDL. RCV50-A090/NBS13-275S ANGLE HEAD; BIG MDL. BCV50-A090/NBS6-275 ANGLE HEAD; BIG MDL. BCD50-AG90/NBS6-275 RIGHT ANGLE HEAD; BIG MDL. BVV50-A690/NBS10W-240 ANGLE HEAD; ALBERTI MDL. T90-0.3 MICRO ANGLE HEAD.

TAPER TOOLHOLDERS

OVER (3,000) CAT-50 TAPER TOOLHOLDERS of all descriptions, incl. standard and extended length endmill holders; standard and extended collet holders; heat shrink holders; shell mill holders; taper shank boring holders; induced coolant toolholders; tapping heads; keyless drill chuck holders; by all major brands incl. Valenite, Parlec, Techniks, Tecnara, Kenametal, Universal Engineering and ETM Iscar.

OVER (400) CAT-40 TAPER TOOLHOLDERS of all descriptions.

EXPENDABLE TOOLING

HUGE ASSORTMENT OF HIGH-SPEED AND SOLID CARBIDE END MILLS of all sizes and descriptions, up to 2" dia. x 12"L., roughing and finishing styles, 2-, 4- and 6-flutes; radius corner endmills; ball nose endmills; spring collets; indexable shell mills; indexable carbide boring bars and turning tools; Renishaw wireless probing units; Jewell Group extended length fine boring heads; indexable carbide drills; indexable carbide ball nose endmills; indexable carbide endmills up to 2" dia.; indexable carbide turning tools; drill chucks; Iscar ITS bore kit; spring collets; more.

RAW MATERIAL

1,000'S OF POUNDS OF AIRCRAFT QUALITY ALUMINUM AND ALUMINUM/LITHIUM RAW MATERIAL. 7000 AND 2000 SERIES ALLOYS IN SHEETS OF MANY SIZES AND THICKNESSES. BUYERS WILL BE ABLE TO REQUEST MTR(S) DIRECTLY FROM H.M. DUNN VIA WRITTEN REQUEST, BASED UPON THE JOB NUMBER(S) CONTAINED WITHIN EACH LOT.

CANTILEVER RACK

(28) UPRIGHT SECTIONS, 20' ht., double sided, 5,000-lb. per arm, assorted self liners.

(20) SECTIONS, 20' ht., single sided, approx. 5,000-lb. per arm.

MACHINE SHOP ACCESSORIES

(20) KURT 8" ANGLE LOCK H.D. MILLING VISES; (6) SUBURBAN TOOL 12 X 12 X 12 CAST IRON ANGLE PLATES (new and unused in boxes); HUOT TAPER TOOL CARTS; (3) KURT 6" ANGLE LOCK MILLING VISES; FORGED C-CLAMPS; KANT-TWIST CLAMPS; BEACH-RUSS MDL. 5-D ROTARY VACUUM PUMP, receiver tank, controls, S/N 5681-3; (4) VACUUM PUMPS, 1 HP motor, 60 gal. vert. receiver; REFRACTOMETER.

DAY TWO SALE IS AN ONLINE TIMED AUCTION



SAMPLE VIEW OF CANTILEVER RACK



SAMPLE VIEW OF LINCOLN AND MILLER WELDING AND CUTTING MACHINES



ACE 24" X 24" GLOVEBOX BEAD BLAST

DAY TWO

ONLINE TIMED AUCTION • THURSDAY, JUNE 11
ONLINE BIDS START TO CLOSE AT 10:00 A.M.

INSPECTION: Monday, Tuesday, & Wednesday June 8, 9 & 10, 9:00 A.M. to 4:00 P.M.

MISCELLANEOUS MACHINERY

12" VERTICAL DISC SANDER w/tilting tbl. and fabricated base; 16" ABRASIVE CUT-OFF SAW w/fabricated stand; CRAFTSMAN 2-1/2 HP TBL. SAW; PORTER CABLE 4" HEAVY DUTY BELT SANDER; DAYTON 25 T. HYDRAULIC SHOP PRESS; CENTRAL MACHINE MDL. 30864 UNIVERSAL DRILLING MACHINE w/2-axis tbl., RYOBI BENCH TOP DRILL PRESS; GENESIS BENCH TOP DRILL PRESS; 18" X 24" GLOVEBOX BLAST; ACE 24" X 24" GLOVEBOX BLAST w/ built-in rotary tbl. and built-in dust collector; APPROX. 2 CU. FT. VIBRATORY DEBURRING MACHINE; CUSTOM BACK SPOT FACING MACHINE, Central Machinery variable spdl. drilling head, fabricated steel stand.

MRO & SPARES

ASSORTMENT OF REPAIRS PARTS for machines in the facility; FASTENERS; O-RINGS; SCREWS; CARRIAGE BOLTS; HOSE CLAMPS; CONDUIT FITTINGS; SOLID CORE AND STRANDED WIRE; BLACK IRON FITTINGS; COPPER FITTINGS; AIR FITTINGS; ROLLER CHAIN; FLAMMABLE MATERIAL STORAGE CABINETS.

WELDING & CUTTING MACHINES

LINCOLN MDL. IDEALARC TIG300/300 TIG WELDER, foot pedal, Miller Spoolmate gun.

MILLER MDL. CP302 MIG WELDER, 300 amps @ 30 v., 100% duty cycle, Miller Mdl. S54 wire feeder, S/N LK3611790.

LINCOLN MDL. PROCUT 55 PLASMA CUTTER.

MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT

(3) DIEBOLD DATA-SAFE SAFES, overall dims: 35"D. x 65"W. x 78"H., 2-door; (10) LISTA AND STANLEY VIDMAR ROLLER DRAWER TOOL CABINETS, 12-drawer; LARGE QTY. OF GLOBAL INDUSTRIAL 24" DIA. PORT-A-COOL FANS; (28) 1 CU. YD. SELF-DUMPING CHIP HOPPERS; (10) 1-1/2 CU. YD. SELF-DUMPING HOPPERS; (3) BIG JOE ELECTRIC DIE LIFTS; NYLON LIFT SLINGS; MULTI-LEG CHAIN; SPREADER BARS.

EULESS TEXAS REAL ESTATE FOR SALE

- HOUSE ANDERSON PROPERTY: ±118,476 Total Buildings Sq. Ft., ±5.3 Acre total land; (5) Buildings.
- 11320 MOSIER VALLEY ROAD: ±23,640 Total Building Sq. Ft., ±46,823 Land Size Sq. Ft.

Contact CBRE:

Bob Scully (817) 333-1113

Brice Wells (817) 333-1114



SAMPLE VIEW OF ROLLER DRAWER TOOL CABINETS



BIG JOE ELECTRIC DIE LIFTS



SAMPLE VIEW OF SELF DUMPING HOPPERS

On-Site Bidding in Euless, Texas or Bid Via Webcast at BidSpotter.com

38 AVAILABLE

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568
Houston, TX 77218-8568

DATED MATERIAL - PLEASE DELIVER

2 DAYS • 1 LOCATION EULESS, TEXAS

**OUTSTANDING OFFERING OF EXCELLENTLY
MAINTAINED CNC MACHINE TOOLS FROM
TIER 1 AEROSPACE SUPPLIER, FEATURING:**

**Vertical & Horizontal 5-Axis Profilers;
6" CNC HBM, Horiz. & Vert. Machining
Centers, CNC Lathes, Thousands of
High Quality Toolholders, Huge Assortment
of Cutting Tools & Accessories,
Shop Support Equip., Cranes & Forklifts,
& Much, Much More!**



**PUBLIC
INVITED**

**DAY 1: WED., JUNE 10 LIVE ON-SITE THEATRE
STYLE & WEBCAST • 10:00 A.M.**

**DAY 2: TIMED ONLINE ONLY
THURSDAY, JUNE 11 • 10:00 A.M.**



**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

DIRECTIONS & LODGING

FROM DFW AIRPORT: Exit south out of airport on TX-97 and follow signs to TX-360 South. Exit onto TX-360 South and a very short distance ahead take the exit for Trinity Blvd. Turn right (west) onto Trinity Blvd. and proceed 4.8 miles to House Anderson Road. Turn left onto House Anderson Road and proceed to sale site ahead on your right. Watch for auction signs.

MARRIOTT DFW AIRPORT SOUTH(817) 358-1700
4151 Centrepoint Drive, Ft. Worth, Texas 76155

CANDLEWOOD SUITES DFW SOUTH(817) 868-1900
4200 Reggie Court, Ft. Worth, Texas 76155

DAYS INN & SUITES BY WYNDHAM(817) 803-6933
13954 Trinity Blvd., Euless, Texas 76040

UNABLE TO ATTEND?

Bid on-line in real time at **BidSpotter.com**
TO PARTICIPATE YOU MUST:

1. Register at www.BidSpotter.com. Use the link to BidSpotter on PMI's website calendar. **DO IT NOW.**
 2. Either send wire transfer, or, overnight delivery service a cashier's check deposit in the amount of \$3,000 (U.S. Bidders) or \$10,000 (Foreign Bidders) to:
Plant & Machinery Inc.
1304 Langham Creek Drive, Suite 454, Houston, TX 77084
Wire transfer instructions can be found at pmi-auction.com
- You must be registered and have your deposit in the hands of Plant & Machinery, Inc. at least 24 hours prior to the start of the auction. Failure to register and/or failure to send your deposit to Plant & Machinery, Inc. may disqualify you from bidding. **DON'T WAIT.**

If you need assistance, don't hesitate to call (713) 691-4401.
ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

FINANCE YOUR AUCTION PURCHASE

Conserve Your Cash &
Increase Your Bidding Power

**AuctionLea\$e Provides
M&E Financing**

**With Approvals from
\$5,000 to \$999,000**

(800) 438-1470

Apply Online:
www.AuctionLease.com

PARTIAL TERMS & CONDITIONS

Wearing masks and social distancing are required.

A 15% Buyer's Premium Will Apply On-site.

A 18% Buyer's Premium Will Apply to Webcast Bids. See Above Rules for Participation.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$_____. This letter is good until July 13, 2020.*

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased **"AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART**

OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.