Plant Closed

T&W FORGE, LLC

562 West Ely Street in Alliance, Ohio 44601

WEDNESDAY, JULY 25th Starting at 10AM EDT

INSPECTION: DAY PRIOR TO AUCTION FROM 9AM - 4PM





(20+/-) ERIE, DOFASCO & CHAMBERSBURG Air Drop Forging Hammers to 16,000-lb.









(20) TOLEDO, MINSTER, HPM, BLISS & CLEARING SS Hydraulic, Double & Single Crank Presses to 1,000-Ton



(16) Gas Fired Slot, Hearth & Fire Box Furnaces



(2) INGERSOLL RAND Centac 2,250-HP Centrifugal Air Compressors



(3) WHEELABRATOR & PANGBORN Shot Blast Machines









DOFASCO 10,000-lb. Air Drop Forging Hammer




CHAMBERSBURG 8,000-lb. Air Drop Forging Hammer



(2) CHAMBERSBURG 6,000-lb. Air Drop Forging Hammers



(5) ERIE 5,000-lb. Air Drop Forging Hammers



(4) ERIE 2,500-lb. Air Drop Forging Hammers



(2) ERIE 1,500-lb. Air Drop Forging Hammers



TOLEDO 200-Ton Straight-Side Single Crank Press



Straight-Side Single Crank Press



MINSTER 165-Ton Back Geared Straight-Side Single Crank Press



MINSTER 160-Ton Back Geared Straight-Side Single Crank Press



(2) MINSTER 135-Ton Straight-Side Single



MINSTER 75-Ton Back Geared Straight-Side Single Crank Press

FORGING HAMMERS

(20+/-) DOFASCO, CHAMBERSBURG & ERIE Drop Forging Hammers to 16,000-lb. Capacity (some incomplete) Lot of Hammer Parts: Anvils • (3) 4,000 & 5,000-lb. Hammer Cylinders • (10) Cylinder Head • (11) Columns • (1) Anvil

HYDRAULIC PRESSES

HPM 1,000-Ton Hyd. Press, 42" x 48" Bed, 24" Stroke, 30" Ram

BLISS 600-Ton Single Point Eccentric Geared Press, Model SE1-600-54-48, 54" x 48" Bed, 16" Stroke, 39.5" Shut Height MINSTER 400-Ton Single Point Press, Model S1-400-42-48, 42" x 48" Bed, 14"

HPM 400-Ton Hyd. Press, Rebuilt By ATS, 18" x 18" Bed, 25" Between Hous-ings, 20" Stroke, 20" Ram HPM 250-Ton Hyd. Press, 25" x 25" Bed, 37" Between Housings, 24" Stroke, 20"

HPM 250-Ton Hyd. Press, 24" x 24" Bed, 37" Between Housings, 15" Stroke, 18"

Ram

BLISS 250-Ton 2-Point Press, Model S2-250-48-36, 48" x 36" Bed Area, 14" Stroke CLEARING 200-Ton 2-Point Press, Model S2-200-60-42, 60" x 42" Bed, 14" Stroke

MINSTER 200-Ton Single Point Press, Model S1-200-36-36, 36" x 36" Bed, 14" Stroke, 31" Shut Height, 8" Adj., HPM 150-Ton 2-Post Hyd. Axle Press, 18-1/2" x 144" Bed, 24" Between Posts, 10" Stroke

STRAIGHT SIDE, DOUBLE CRANK

TOLEDO 600-Ton Double Crank Press, Model 59-1/2, 44" x 50" Bed Size, 16"

BLISS 200-Ton Double Crank Press, Model 7-60, 46" x 60" Bed Area, 8" Stroke BLISS 250-Ton Double Crank Press, 32" x 40" Bed Size, 14" Stroke

STRAIGHT SIDE, SINGLE CRANK **PRESSES**

TOLEDO 200-Ton Single Crank Press, Model 94-1/2-60, S/N CL 1033, 51" x 60" Bed, 8" Stroke

MINSTER 175-Ton Back Geared Single Crank Press, Model S1-175, 30" x 44' Bed, 10" Stroke (Est)

MINSTER 165-Ton Back Geared Single Crank Press, 28" x 45" Bed, 5" Stroke MINSTER 160-Ton Back Geared Single Crank Press, Model 40-6-1/2, 30" x 44" Bed, 6-1/2" Stroke

(2) MINSTER 135-Ton Single Crank Presses, Model 40T-6, 28" x 40" Bed, 5"



HPM 1,000-Ton Straight-Side Hydraulic Press



BLISS 600-Ton Single Point Eccentric Geared Straight-Side Press



MINSTER 400-Ton Single Point Straight-Side Press



HPM 400-Ton Straight-Side Hydraulic Press



BLISS 250-Ton 2-Point Straight-Side Press



MINSTER 200-Ton Single Point Straight-Side Press



(2) HPM 250-Ton Straight-Side Hydraulic Presses



CLEARING 200-Ton 2-Point Straight-Side Press



BLISS 125-Ton (Est) Straight-Side Single Crank Press



TOLEDO 600-Ton Straight-Side Double Crank Press



BLISS 200-Ton Straight-Side Double Crank Press



BLISS 250-Ton Straight-Side Double Crank Press

BLISS 125-Ton (Est) Single Crank Press, Model 66-1/3, S/N 408, 24" x 30"

MINSTER 75-Ton Back Geared Single Crank Press, 22" x 38" Bed, 5" Stroke

HEAT TREAT LINE

ELECTRIC FURNACE CO. 52'W x 30'L x 12"H Natural Gas Fired Pusher Furnace, S/N S4479F1, 1,650°F Max Temp, Input 1,000,000 BTU, (14) Burners, (3) Zones, w/(3) Honeywell Chart Recorders, (3) Honeywell Temperature Controllers & Automatic Elevator Type Oil Quench ELECTRIC FURNACE CO. 52'W x 30'L

x 12"H Natural Gas Fired Pusher Fur**nace**, S/N S4479F2, 1,250°F Max Temp, Input 1,000,000 BTU, (10) Burners, (3) Zones, w/(3) Honeywell Chart Recorders, (3) Honeywell Temperature Controllers, (2) Crossover Transfer Conveyors & Cooling Station

SHOT BLASTS

WHEELABRATOR Tumblast 34-Cubic Foot Tumble Type Shot Blast Machine, 54"D x 72'W, Cable Type Skip Loader, w/ Reclamation System & 33" x 12' Vibratory Shakeout Conveyor PANGBORN 26-Cubic Foot Tumble

Type Shot Blast Machine, Model 26GNM, S/N 26GNM-695, 48"D x 66"W Size, Cable Type Skip Loader w/Reclamation System WHEÉLABRATOR Tumblast 7-Cubic

Foot Tumble Type Shot Blast Machine, S/N A132851, 36"D x 48"L Size, Cable Type Skip Loader, w/Reclamation System & Farr Tenkay Size 40 Dust Collector, S/N

DUST COLLECTORS

2001 UNITED AIR SPECIALISTS Dust Hog Dust Collector, Model SBD16-4, S/N 60047037, w/Cincinnati Fan 30-HP Blower Motor (Supports Both 26 & 34 Cubic Feet Shot Blast Machine) AAF INTERNATIONAL Rota-Clone Dust Collector, Model D24, S/N D51373, w/(3)

42" x 72" Downdraft Tables HAMMOND MFG. DusKolector Dust Collector **Dust Collector**

FURNACES

(3) 6' x 4' x 12"H Gas Fired Slot Furnaces (not in service) (7) 9' Gas Fired Rotary Hearth Furnaces (some not in service) 3' x 9' x 2'H 2-Door Gas Fired Box Furnace, Single Zone w/Temp Controller (6) 3' x 3' x 6' 4-Door Gas Fired Box

Furnaces, 2-Zone

CRANES
ALLIANCE MACHINE 15-Ton x 62' Rail-Mounted Gantry Crane, Cab Control, w/







Heat Treat Line - (2) ELECTRIC FURNACE CO. 52'W x 30'L x 12"H Natural Gas Fired Pusher Furnaces



(7) 9' Gas Fired Rotary Hearth Furnaces



3' x 9' x 2'H 2-Door Gas Fired Box Furnace



(6) 3' x 3' x 6'0 4-Door Gas Fired Box Furnace



Foot Shot Blast Machine



PANGBORN 26-Cubic Foot Shot **Blast Machine**



WHEELABRATOR Tumblast 7-Cubic Foot Shot Blast Machine



UNITED AIR SPECIALISTS Dust Hog Dust Collector



AAF INTERNATIONAL Rota-Clone Dust Collector



HAMMOND MFG. DusKolector Dust Collector



Dust Collector

Walker-Bux 10,000-lb. Magnetic Spreader Beam & Trans-Weigh 20,000-lb. Crane Scale, Model 6260

LOAD LIFTER 10-Ton x 43' Bridge
Crane, w/Electric Cable Hoist, Pendant
AMEE 10-Ton x 37' Double Girder Top-Running Bridge Crane, Pendant (Not in Service)

ALLIANCE MACHINE 5-Ton x 45' Double Girder Top Running Bridge Crane, S/N 4101, Pendant LOAD LIFTER 10-Ton x 45' & CLEVE-LAND Tramrail 3-Ton x 15' Single Girder Underslung Bridge Cranes,

(10+) Jib Cranes w/Electric Chain Hoists, Pendant

COMPRESSORS, DRYERS & TANKS

2011 INGERSOLL RAND Centac 2,250-HP Centrifugal Air Compressor, Model 3C 90AE4, S/N M72-0209A, Cold Air Discharge, Hours Unavailable, 9,200 CFM, 4,160 Volt, 1,800 RPM, IR CMC Control Panels w/Soft Starter INGERSOLL RAND Centac 2,250-HP

Centrifugal Air Compressor, Model 3C 90M4, S/N M74-0725A, Hot Air Discharge, 13,321 Hours Indicated, 9,200 CFM, 4,160 Volt, 1,800 RPM, IR CMC Control Panels w/Soft Starter

INGERSOLL RAND T30 10/7-1/2 HP Motor Horizontal Tank Mounted Reciprocating Air Compressor, S/N 30T-684514 w/Domnick Hunter CRD25 Refrigerated Air Dryer, S/N 2847340008

Air Dryer, S/N 2847340008

(4) LEROI 600-HP Gas Powered Rotary Screw Air Compressors, Model A219-210-GI, S/Ns AERO-1274, 4192X20, 4192X17 & 4192X218, each w/CATERPIL-LAR 3412 NG 600+ HP Engine, w/Titanium Valves & Seats, Big Augie Bypass Lube Oil Filter System, Skid-Mounted (all not in use, operational condition unknown)
(5) SULLAIR, CHAMPION, CAMPBELL HAUSFELD & INGERSOLL RAND Rotary Screw & Reciprocating Air Compressors to 15-HP, New as 2014
2008 BAG 15M25 Cooling Tower
(3) 10' x 24'H (Est) Steel Vertical Air Receiving Tanks, 170 PSI, 350°F Max Temp

FABRICATING
GENERAL MFG. 75-Ton (Est) NonGeared Adj. Bed Horn Press, Model
256, S/N 2212, 12" x 24" Bed ACME 2" Mechanical Cold Header, 25-HP Motor (Est) (Not in Service) **BUFFALO FORGE** 112 Horizontal Angle Bending Roll
HCS 60" Circle Shear
PEXTO 36" Hand Roll
(5) WESTINGHOUSE, LINCOLN &
MILLER Welders to 750-AMP

TOOLROOM

METALCUT Model XII Automatic Cold Saw, S/N 121/169 w/34" Blade, 50-HP







(4) LEROI 600-HP Gas Powered Rotary Screw Air Compressors w/CAT 3412 NG 600+ HP Engines



INGERSOLL RAND T30 Reciprocating Air Compressor



SULLAIR 125-HP Rotary Screw Air Compressor



INGERSOLL RAND 10-HP Reciprocating Air Compressor



CAMPBELL HAUSFELD 5-HP Reciprocating Air Compressor



5-HP Reciprocating Air Compressor



ALLIANCE MACHINE 15-Ton x 62' Rail-Mounted Gantry Crane



AMCO 10-Ton x 37' Span Double Girder Top-Running Bridge Crane



ALLIANCE MACHINE 5-Ton x 45' Span Double Girder Bridge Crane



CLEVELAND Tramrail 3-Ton x 15' Span Single Girder Bridge Crane



3-Ton x 27' Span Single Girder Bridge Crane

Blade Motor, Power Feed, Power Clamping, Bar Feed Conveyor, Material Loading Table & Mayfran Chip Conveyor, w/25-HP

Hyd. Unit HENDEY 16" x 54" Quick Change Geared Head Engine Lathe, Model 4CX54, S/N 29014, 15-600 RPM Spindle, 15" 4-Jaw Chuck

IKEDA 4' x 13" Column Radial Drill, Model RM-1300, 80-1,440 RPM Spindle (2) GROB Vertical Band Saws, Models NS36 & NS18 w/Blade Welder/Grinder RACINE Shear-Cut 330 Hyd. Hack Saw, 12" x 16" Capacity, 20-220 SPM PEERLESS Meehan-I-Cut 11" x 14" Power Hack Saw 12" x 12" Power Hack Saw

12" x 12" Power Hack Saw PEERLESS 10" x 12" Power Hack Saw, 5-HP

DAKE 125-Ton H-Frame Hyd. Press, Model 125PCA OILGEAR 50-Ton C-Frame Hyd. Straightening Press, 21" x 84" Bed, 18"

(4) Heavy Duty Double-End Pedestal Grinders to 24" PORTER-CABLE 9" Vertical Belt Sander, 10-HP (3) Drill Presses to 24" RIDGID 300 & LANDIS 3" Pipe Threaders

INSPECTION

MAGNAFLUX Model X-3712 Fluorescent Penetrant Inspection System, S/N 661485, 3,700 AMP Output, w/Model X-3712 22-1/2'W Transfer Conveyor & Inspection Booth, w/Spectra-Line UV 400 UV Lamp

(5) DETROIT, WILSON ROCKWELL, ACCO WILSON & CLARK Brinell Hardness Testers 36" x 60" x 6-1/2" 2-Ledge Black Granite Surface Plate • 70" x 100" x 6" Cast Iron Layout Plate

Wide Variety of Precision Inspection
Items - Aus Jena Inverted Photographic
Microscope (not in service) • Calipers
• Gauges Blocks • Pin Gauge Sets •
Micrometers & More

FORKLIFTS

(20+/-) TOWMOTOR, CLARK, HYSTER, CAT, TOYOTA & YALE LPG Forklifts to 15,000-lb. Capacity (some not in service)



HPM 150-Ton Traveling Head 2-Post Axle Press



GENERAL MFG. 75-Ton Adj. Bed Horn Press



LINCOLN 600-AMP Arc Welder



WESTINGHOUSE 750-AMP Arc Welder



METALCUT Model XII Automatic Cold Saw



HENDEY 16" x 54" Geared Head Engine Lathe



IKEDA 4'x 13" Column Radial Drill



GROB 36" Vertical Band Saw



PEERLESS 11" x 14 Power Hack Saw



SIBLEY 24" Drill Press



OILGEAR 50-Ton C-Frame Hyd. Straightening Press



24" Heavy Duty Pedestal Grinder



PEERLESS 10" x 12" Power Hack Saw



14" Heavy Duty Pedestal Grinder



Brinell Hardness Tester



Hardness Tester



ACCO WILSON Brinell Hardness Tester



Hardness Tester



MAGNAFLUX Fluorescent Penetrant Inspection System

DROTT Go-Devil 8,500-lb. Carry Deck Crane, Model 85RM2, S/N 1005, 3-Stage Telescoping Boom, up to 1,200-lb. @ 16', Solid Yard Tires, Gas Powered (out of service)

SCALES GSE 200,000-lb. x 70' In-Ground Truck BRECHBUHLER 20,000-lb. In-Ground Digital Platform Scale, 6' x 8' Scale Deck, Rail Type w/Printer PENNSYLVANIA 5,000-lb. Digital Platform Scale, Model 7600 w/4' x 4' Scale

ELECTRICAL

GE 7700 Line Motor Control Center, (8)

Panels, 600 AMP, (18) Plug-Ins 5-Panel Switching Systems Gas Engine Control System, Numeric Entry / Display Station

96,000 KVA Electrical Substation GÉ Limitamp Control Station/QMR Fusible Interrupters

MISCELLANEOUS

POWERBOSS Riding Type LP Gas Floor Sweeper, Model TSS/90-HO, S/N 2182039 (Not in Service) Custom-Built Gas Fired Die Preheater

(4) DEMING / PESCO 7-Stage Vertical Turbine Water Pumps, Type 4,700, 30-HP Motor (3 Inground) (4) US Vertical Motors (for Turbine Púmps)

MULLER 9S Electric Mixer, Trailer Type 100's of Long Handle Forge & Press Grab Clamps
Horizontal & Vertical Plate Clamps

(2) TROFF Hydraulic Dump Table Steel Roller Conveyor Lift System (30+) Custom Steel Cabinets • (30+) Steel Workbenches (50+) 24"-36" Shop Fans · Racking · Self-Dumping Hoppers • Gondola Boxes • Chain & Hoists • Cut-Off Saw • Arbor Presses · Hand Tools · Vises · Gas Space Heaters · Flexible Shaft Grinders · Bulbs · Wire • Fuses • Valves • Hardware

HUGE SCRAP OPPORTUNITY



CLARK C500-100 10,000-lb. Forklift



HYSTER FDRK 5 8,500-lb. Forklift



(4) CATERPILLAR 8,000-lb. Forklifts



CATERPILLAR TC60D 6,000-lb. Forklift



DROTT Go-Devil 8,500-lb. Carry Deck Crane



Electric Steel Roller Conveyor Lift System



Horizontal & Vertical Plate Clamps





5-Panel Switching Systems Gas Engine Control System



GENERAL ELECTRIC Master Control Center



(50+) 24"-36" Shop Fans



(2) TROFF Hydraulic Dump Tables



Large Inventory Repair/Shop Parts – Bulbs, Wire, Hardware, Fuses, Valves & More



ERIE 5,000-lb. Anvil

Plant Closed

T&W FORGE, LLC

562 West Ely Street in Alliance, Ohio

WEDNESDAY, JULY 25th Starting at 10AM EDT

INSPECTION: Day Prior to Auction from 9AM - 4PM



Heat Treat Line - (2) ELECTRIC FURNACE CO. Pusher Furnaces

Myron Bowling Auctioneers Inc. P.O. Box 369 **ROSS. OHIO 45061**



(20+/-) Air Drop Forging Hammers to 16,000-lb.



(20) Straight-Sided Presses to 1,000-Ton



FIRST CLASS MAIL!



(2) IR Centac 2,250-HP Air Compressors, New as 2011

Important Mail

TO BE DIRECTED TO THE ATTENTION OF EXECUTIVE PERSONNEL



Plant Closed

T&W FORGE, LLC

562 West Ely Street in Alliance, Ohio

WEDNESDAY, JULY 25th Starting at 10AM EDT

Inspection: Day Prior to Auction from 9AM-4PM

REMOVAL & PAYMENT

Machinery removal is the responsibility of the buyer. All equipment must be removed in accordance with the specific auction timeline and terms of sale. See the specific auction web page for details. Anyone (rigger or buyer), using a powered vehicle to remove items must have a certificate of insurance on file with Myron Bowling Auctioneers in the amount of \$1,000,000.00. Item removal generally begins at the conclusion of the auction and after payment in full is received by cash, wire transfer, or company check (if approved by the auction company or bank letter of guarantee). All checks should be made payable to Myron Bowling Auctioneers. Taxes will be charged unless you have provided a proper written exemption from your state.

TERMS OF SALE

Copies of Terms of Sale will be posted at the auction. Additional terms may be announced during the auction. We make every effort to accurately describe each item in the auction; however, a mistake may occur. Buyers must take responsibility to thoroughly inspect the items on which they intend to bid. Each item will be sold "As is, where is." There is absolutely no warranty or guarantee of any kind either written or implied. Occasionally, additional information may come to light regarding any and all items being sold during the auction. When this occurs the new information takes precedence. COMPLETE TERMS & CONDITIONS can be found at myronbowling.com, or call 513/738-3311 if you have questions. BUYER'S PREMIUM: 15% ONSITE • 18% ONLINE

INSPECTION: THE DAY BEFORE THE AUCTION FROM 9AM TO 4PM

AUCTIONEERS

Myron C. Bowling - 62197620939 Myron Bowling Auctioneers, Inc. - 63198514949 Jeff Luggen - 57198333789

Cincinnati Industrial Auctioneers, Inc. - 63198310439









DIRECTIONS

562 W. Ely St. is approximately 18.4 mi. from the Akron-Canton Airport. Take Mt. Pleasant Rd 4.4 mi. and turn North onto Oh-43 N. Go 1.1 mi. and turn East on State St NE. Go 9.8 mi and merge onto US-62T heading North. Go 1.8 mi. and turn East on to Beeson St. Continue on Beeson St. to W. Ely St.

LODGING

Hampton Inn (330) 680-4052 1831 W State St 44601

Holiday Inn Express (330) 821-6700 2341 W State St 44601

Comfort Inn (330) 821-5555 2500 W State St 44601





